

```
// named.conf
// See /usr/share/doc/bind*/sample/ for example named configuration files.
//

options {
    // specify the loopback IP and the IP of this server
    listen-on port 53 { 127.0.0.1; 200.200.10.16; };
    directory      "/var/named";
    dump-file      "/var/named/data/cache_dump.db";
    statistics-file "/var/named/data/named_stats.txt";
    memstatistics-file "/var/named/data/named_mem_stats.txt";
    allow-query     { any; };
    recursion yes;

    dnssec-enable yes;
    dnssec-validation yes;
    dnssec-lookaside auto;

    /* Path to ISC DLV key */
    bindkeys-file "/etc/named.iscdlv.key";

    // add forwarding to ISP DNS servers for external resolution
    forwarders { 8.8.8.8; 8.8.4.4; };
};

logging {
    channel default_debug {
        file "data/named.run";
        severity dynamic;
    };
};

zone "." IN {
    type hint;
    file "named.ca";
};

zone "mynet.com." IN {
    type master;
    file "mynet.com.zone";
    allow-update { none; };
};

zone "10.200.200.in-addr.arpa." IN {
    type master;
    file "10.200.200.in-addr.arpa";
    allow-update { none; };
};

include "/etc/named.rfc1912.zones";
```