

```
[grid@racnode3 ~]$ /u01/app/12.1.0/grid/deinstall/deinstall -local
Checking for required files and bootstrapping ...
Please wait ...
Location of logs /u01/app/oraInventory/logs/
```

```
##### ORACLE DECONFIG TOOL START #####
```

```
##### DECONFIG CHECK OPERATION START #####
## [START] Install check configuration ##
```

```
Checking for existence of the Oracle home location /u01/app/12.1.0/grid
Oracle Home type selected for deinstall is: Oracle Grid Infrastructure for a Cluster
Oracle Base selected for deinstall is: /u01/app/grid
Checking for existence of central inventory location /u01/app/oraInventory
Checking for existence of the Oracle Grid Infrastructure home /u01/app/12.1.0/grid
The following nodes are part of this cluster: racnode3,racnode2,racnode1
Checking for sufficient temp space availability on node(s) : 'racnode3'
```

```
## [END] Install check configuration ##
```

```
Traces log file: /u01/app/oraInventory/logs//crsdc_2016-03-07_09-42-30PM.log
```

```
Network Configuration check config START
```

```
Network de-configuration trace file location: /u01/app/oraInventory/logs/netdc_check2016-03-07_09-42-31-PM.log
```

```
Network Configuration check config END
```

```
Asm Check Configuration START
```

```
ASM de-configuration trace file location: /u01/app/oraInventory/logs/asmcadc_check2016-03-07_09-42-31-PM.log
```

```
Database Check Configuration START
```

```
Database de-configuration trace file location: /u01/app/oraInventory/logs/databasedc_check2016-03-07_09-42-31-PM.log
```

```
Database Check Configuration END
```

```
##### DECONFIG CHECK OPERATION END #####
```

```
##### DECONFIG CHECK OPERATION SUMMARY #####
```

```
Oracle Grid Infrastructure Home is: /u01/app/12.1.0/grid
The following nodes are part of this cluster: racnode3,racnode2,racnode1
The cluster node(s) on which the Oracle home deinstallation will be performed are:racnode3
Oracle Home selected for deinstall is: /u01/app/12.1.0/grid
Inventory Location where the Oracle home registered is: /u01/app/oraInventory
Option -local will not modify any ASM configuration.
Do you want to continue (y - yes, n - no)? [n]: y
A log of this session will be written to: '/u01/app/oraInventory/logs/deinstall_deconfig2016-03-07_09-42-26-PM.out'
Any error messages from this session will be written to:
'/u01/app/oraInventory/logs/deinstall_deconfig2016-03-07_09-42-26-PM.err'
```

```
##### DECONFIG CLEAN OPERATION START #####
```

```
Database de-configuration trace file location: /u01/app/oraInventory/logs/databasedc_clean2016-03-07_09-43-12-PM.log
ASM de-configuration trace file location: /u01/app/oraInventory/logs/asmcadc_clean2016-03-07_09-43-12-PM.log
ASM Clean Configuration END
```

```
Network Configuration clean config START
```

```
Network de-configuration trace file location: /u01/app/oraInventory/logs/netdc_clean2016-03-07_09-43-12-PM.log
```

Network Configuration clean config END

Run the following command as the root user or the administrator on node "racnode3".

```
/tmp/deinstall2016-03-07_09-41-45PM/perl/bin/perl -I/tmp/deinstall2016-03-07_09-41-45PM/perl/lib -I/tmp/deinstall2016-03-07_09-41-45PM/crs/install /tmp/deinstall2016-03-07_09-41-45PM/crs/install/rootcrs.pl -force -deconfig -paramfile "/tmp/deinstall2016-03-07_09-41-45PM/response/deinstall_OraGI12Home1.rsp"
```

Press Enter after you finish running the above commands

<-----

DECONFIG CLEAN OPERATION END

DECONFIG CLEAN OPERATION SUMMARY

Oracle Clusterware is stopped and successfully de-configured on node "racnode3"

Oracle Clusterware is stopped and de-configured successfully.

#####

ORACLE DECONFIG TOOL END

Using properties file /tmp/deinstall2016-03-07_09-41-45PM/response/deinstall_2016-03-07_09-42-26-PM.rsp

Location of logs /u01/app/oraInventory/logs/

ORACLE DEINSTALL TOOL START

DEINSTALL CHECK OPERATION SUMMARY

A log of this session will be written to: '/u01/app/oraInventory/logs/deinstall_deconfig2016-03-07_09-42-26-PM.out'

Any error messages from this session will be written to:

'/u01/app/oraInventory/logs/deinstall_deconfig2016-03-07_09-42-26-PM.err'

DEINSTALL CLEAN OPERATION START

[START] Preparing for Deinstall

Setting LOCAL_NODE to racnode3

Setting CLUSTER_NODES to racnode3

Setting CRS_HOME to true

Setting oracle.installer.invPtrLoc to /tmp/deinstall2016-03-07_09-41-45PM/oraInst.loc

Setting oracle.installer.local to true

[END] Preparing for Deinstall

Setting the force flag to false

Setting the force flag to cleanup the Oracle Base

Oracle Universal Installer clean START

Detach Oracle home '/u01/app/12.1.0/grid' from the central inventory on the local node : Done

Delete directory '/u01/app/12.1.0/grid' on the local node : Done

Delete directory '/u01/app/grid' on the local node : Done

Oracle Universal Installer cleanup was successful.

Oracle Universal Installer clean END

[START] Oracle install clean

Clean install operation removing temporary directory '/tmp/deinstall2016-03-07_09-41-45PM' on node 'racnode3'

[END] Oracle install clean

DEINSTALL CLEAN OPERATION END

DEINSTALL CLEAN OPERATION SUMMARY

Successfully detached Oracle home '/u01/app/12.1.0/grid' from the central inventory on the local node.

Successfully deleted directory '/u01/app/12.1.0/grid' on the local node.

Successfully deleted directory '/u01/app/grid' on the local node.

Oracle Universal Installer cleanup was successful.

Run 'rm -r /opt/ORCLfmap' as root on node(s) 'racnode3' at the end of the session.

Oracle deinstall tool successfully cleaned up temporary directories.

#####

ORACLE DEINSTALL TOOL END